





RAVENOL Silikon-Spray



RAVENOL Silikon-Spray is used for lubrication, care and maintenance of rubber, plastic and metal surfaces. The after flashing off the solvent and propellant gases colourless, tasteless and odourless product is physiologically inert, water resistant, radiation-resistant and weatherproofed.

RAVENOL Silikon-Spray has been proven many times in contrast to many non-silicone-containing products under extreme conditions such as over sea water, water vapour, sulphur dioxide, dilute acids and alkalis.

ART.-NR. 1360033

400 ml | 1360033-400

High dielectric strength and low loss factor that is independent of the humidity, are characteristic of **RAVENOL Silikon-Spray**.

RAVENOL Silikon-Spray is used for example as lubricants in vehicle, engine and body, waterproofing agents in the electrical and cable industry, catchment in the installation trade, care and preservative in the glass and ceramics industry, detergents in the ship and aircraft industry, release agents in the plastics industry, protective agents in mechanical engineering, Finishing agents in medicine, pharmacy and cosmetics.

These are just some examples of the versatility of RAVENOL Silikon-Spray.

Application Notes

RAVENOL Silikon-Spray: Too cold stored can has to be brought to room temperature before use. Shake it before use. Spray on Evenly over the surfaces to be treated from 20-30 cm and pay heed in complete wetting. Drying time 30 s at room temperature.

Characteristics

RAVENOL Silikon-Spray offers:

- Universal application for example as lubricants, waterproofing agents, care and preservatives, cleaning agents, release agents, agents, finishing agents
- Reliable lubrication of rubber, plastic and metal surfaces
- Very stable to weathering
- Waterproof, radiation resistant, weather resistant
- Under extreme conditions such as sea water, steam, dilute acids and bases used
- High dielectric strength and low loss factor









All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 06. May 2020