





RAVENOL SCOOTER 4-Takt Fullsynth.



ART.-NR. 1151155

1 L | 1151155-001

SPECIFICATIONS API SN
FABRICATION FULLY SYNTHETIC
RECOMMENDATIONS YAMAHA, HONDA, APRILIA, SUZUKI, KAWASAKI,
PEUGEOT, ARCTIC CAT, BOMBARDIER, ARGO, DINLI, POLARIS

RAVENOL SCOOTER 4-Takt Fullsynth. is a fully synthetic high quality green coloured engine oil based on PAO for 4-stroke small engines. A specially designed additive package and a formulation with special ingredients for a high viscosity index ensure for a clean engine and clean inlet and exhaust systems and thus proper lubrication and wear protection.

RAVENOL SCOOTER 4-Takt Fullsynth. due to its special additives and the selection of base oils and its viscosity an energy-saving operation of engines. Due to its special active ingredients ensures **RAVENOL SCOOTER 4-Takt Fullsynth.** for a cleaner engine and clean inlet and exhaust systems.

RAVENOL SCOOTER 4-Takt Fullsynth. is the product for optimal life of the machine.

RAVENOL SCOOTER 4-Takt Fullsynth ensures an excellent cold start performance for optimum lubrication during the cold start phase.

Application Notes

RAVENOL SCOOTER 4-Takt Fullsynth. is for use in 4 -Stroke engines.

Characteristics

RAVENOL SCOOTER 4-Takt Fullsynth. offers:

- High wear protection
- Fuel efficiency by smooth running characteristics
- Excellent detergent and dispersant
- Prevents black sludge formation
- Long life due to high oxidation stability
- Excellent cold starting properties
- Very good viscosity-temperature behavior
- Low volatilization tendency







Property	Unit	Data	Audit
Density at 20°C	kg/m³	847	EN ISO 12185
Colour		grün	visual
Viscosity at 100°C	mm²/s	14,3	DIN 51 562
Viscosity at 40°C	mm²/s	85,1	DIN 51 562
Viscosity index VI		175	DIN ISO 2909
Pourpoint	°C	-54	DIN ISO 3771
Noack Volatility	% M/M	7,4	ASTM D5800
Flash point (COC)	°C	240	DIN ISO 2592
TBN	mg KOH/g	10,5	ASTM D2896
Sulphated ash	%wt.	1,05	DIN 51 575

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 12. May 2020