

Shell Helix ECO 5W-40

Fully-synthetic engine oil, designed for reliable performance of gasoline and diesel engines

Shell Helix ECO (Engine Care & Optimisation) is fully synthetic motor oil designed to optimize the cost of the car maintenance.

Proud Drivers Choose Shell Helix

Performance, Features & Benefits

Helps to optimize the cost of car maintenance:

- reliably protects engine parts against wear and extends service life*;
- keeps stable properties of engine oil during drain interval,
 till next oil change**

Main Applications

 Shell Helix ECO 5W-40 fully synthetic formulation can be used for modern gasoline engines, diesel engines.

Specifications, Approvals & Recommendations

• API SN, CF, SM, SL, SJ

Advice on applications not covered here may be obtained from your Shell or Shell Lubricants distributor representatives or technical helpdesks.

13.10.2020.13.05

Typical Physical Characteristics

Properties			Method	Helix ECO 5W-40
Density	@15°C	kg/m³	ASTM D4052	845.6
Flash Point		°C	ASTM D92	232
Kinematic Viscosity	@100°C	cSt	ASTM D445	13.7
Kinematic Viscosity	@40°C	cSt	ASTM D445	81.3

These characteristics are typical of current production. Whilst future production will conform to Shell's specification, variations in these characteristics may occur.

Health, Safety & Environment

· Health and Safety

This product is unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.

Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water.

Guidance on Health and Safety is available on the appropriate Safety Data Sheet.

• Protect the Environment

Take used oil to an authorised collection point. Do not discharge into drains, soil or water.

^{*-} in reference to API SN

^{** -} as per OEM recommendation