

Fully Synthetic

# Kixx ATF DX-III

Automatic Transmission Fluid

GM DEXRON®-III , MERCON®, ALLISON C-4



## DESCRIPTION

Modern vehicle and transmission designs place increased stress on the automatic transmission fluid.

Kixx ATF DX-III is superior to any other past or currently ATF for uses in passenger car with automatic transmission. And It can be recommended for Automatic transmission with lock-up clutch. It provides a higher quality performance due in part by its oxidation resistance, low temperature fluidity, appropriate friction performance, high shear stability, and near sludge free operation.

## APPLICATIONS

In accordance with the GM powertrain licensing requirements for the use of the DEXRON trademark, ATF DX-III may be recommended for use in automatic transmissions or other units, such as power-steering systems, industrial hydraulic systems and air compressors for which the service-fill product is specified as DEXRON®-II, DEXRON®-III or DEXRON fluid.

## PERFORMANCE STANDARDS

Auto Maker	Specification	Auto Maker	Specification
GM	DEXRON®-II, IID, IIE DEXRON®-III, IIIH TASA	Mitsubishi	Diaqueen SP-II, SP-III, SP-IV Diaqueen AW Diaqueen J2
Ford	MERCON® WSS M2C 138CJ, 166H WSS M2C 922A1, 924A FNRS	Nissan	Matic Fluid C, D, J, K
Honda	ATF Ultra II ATF-Z1(except in CVTs)	Suzuki	ATF, ATF HP ATF 2326, ATF 2384K JWS 3309 ATF 3314, ATF 3317
Hyundai / Kia	SP-II, SP-III, SP-IV, SP-IV M JWS 3314 Red 1	Toyota	ATF D-II, D-III ATF T-III, T-IV
JASO	M315-2013 1A M315-2013 2A	Volvo	CE 97340
Allison	C-3 & C-4	VW	5HP (19FL, 24A) G 055 025 A2(JWS 3309) TL 521 62
		ZF	TE-ML 09, 11A, 11B

## CUSTOMER BENEFITS

- Ensures long life-time
- Provides high foam stability.
- Provides high antirusting performance and lower sludge formation.
- Provides good start operation in cold climates thanks to its excellent low-temperature fluidity.
- Provides more stable friction property.

## KEY PROPERTIES

Density, kg/L @15°C	0.841
Kinematic Viscosity, mm <sup>2</sup> /s @ 40°C	33.5
Kinematic Viscosity, mm <sup>2</sup> /s @ 100°C	7.02
Pour Point °C	-48
Flash Point °C	230
Brookfield Viscosity, cP @-20°C	980
Brookfield Viscosity, cP @-40°C	11,840
Package (Liters)	1, 4T, 20, 200

## UNIQUE FEATURES

